



MotorPump™

Single stage end suction centrifugal pumps, close-coupled to NEMA standard motors

Features


- Cast Iron
- Cast Bronze
- Cast 316 Stainless Steel
- Welded 304 Stainless Steel
- Precision machined for exact alignment and long seal life
- Dynamically balanced impellers for long bearing life and smooth operation
- Mechanical seals stocked in a variety of options to meet your needs
- Open drip-proof, explosion-proof and totally enclosed motors available

Product details and specifications can be found on our website: www.scotpump.com

Cast Iron


3500 RPM

- High Pressure
- 1/3 to 100 HP
- NEMA J56, JM, JP Frames




1750 RPM

- High Flow
- 1/3 to 150 HP
- NEMA C56, JM, JP, JPZ Frames



1150 RPM

- High Flow
- 1.0 to 50 HP
- NEMA JM, JP, JPZ Frames




SPECIALTY PUMPS

- Semi-Open Impeller
- Vertical Sealless
- Self-Priming
- Low Temp Chiller
- DC Motor Driven
- Vortex Handling
- Vertical Floor-Mounted
- Side Wall Vertical Flange
- Hot Oil
- Water Jacketed
- Double Sealed




Stainless Steel




Welded Stainless 3500 RPM

- 1/2 to 25 HP
- NEMA J56, JM Frames
- Horizontal or Vertical Sealless
- All Welded 304 Stainless or Cast Iron Stainless Fitted




Welded Stainless 1750 RPM

- 1/4 to 5 HP
- NEMA J56, JM Frames
- All Welded 304 Stainless or Cast Iron Stainless Fitted




Cast Stainless 3500 RPM

- 1/3 to 15 HP
- NEMA C56, TC Frames
- Heavy Duty
- Cast 316 Stainless



All Bronze




SPECIALTY PUMPS

- Semi-Open Impeller
- Self-Priming
- Low Temp Chiller
- Vortex Handling
- DC Motor Driven

3500 RPM

- High Pressure
- 1/3 to 100 HP
- NEMA J56, JM, JP Frames
- Cast Bronze Construction



1750 RPM

- High Flow
- 1/3 to 20 HP
- NEMA C56, JM, JP Frames
- Cast Bronze Construction

