




A WILO BRAND


MOTORPUMP™ — 1750 RPM

316SS, 60 Hz, 2 X 2 X 5.63 NPT

602S C56




MOTOR DIMENSIONS NEMA C56 FRAME 1750 RPM							
HP	FRAME	ODP			TEFC		
		L	O	AB	L	O	AB
0.5	C56	9.16	6.19	5.06	9.48	7.25	5.88
0.75	C56	9.78	6.19	5.06	9.87	7.25	5.88



Construction Options

Key	Part Name	Standard Fitted	All Iron
1	Case	Ductile Iron	Ductile Iron
2	Impeller	304SS	304SS
6	Stub Shaft	Bronze	Stainless
26	Impeller Retaining Assembly	Stainless	Stainless
32	Key	Stainless	Stainless
53	Base	Steel	Steel
71	Adapter	Ductile Iron	Ductile Iron
73	O-ring, Case	Buna	Buna
89	Mechanical Seal, Type 21 BN-CM	Standard	Standard
89A	Seal Spring Retainer	Stainless	Stainless
H	Plug, Drain	Brass	Plated Steel






A WILO BRAND

MOTORPUMP™ — 1750 RPM

316SS, 60 Hz, 2 X 2 X 5.63 NPT

602S C56

Performance Curve






A WILO BRAND

MOTORPUMP™ — 1750 RPM

316SS, 60 Hz, 2 X 2 X 5.63 NPT

602S C56

Parts



Key	Part Name	Part Number
1	Case 602, Ductile Iron, 2.00 X 2.00 NPT Brass plugs	3301063X
2	Impeller 602, Stainless, Specify Dia., 5.63 Max 7/8" Key	3301076
4	Motor chart, C56	See Chart
6*	Stub Shaft Ass'y Stainless, includes set screws and pin	135.000.174X
	Stub Shaft Ass'y, Brass, includes set screws and pin	135.000.165X
26*	Impeller retaining assembly, Stainless	118.000.680
32*	Key, Stainless	102.000.102
53	Base, Steel	3301100
71	Adapter, Iron, JM140/180 1-1/2" Seal, Brass plug	3301071X
73*	O-ring, Case, Buna	116.000.146
89*	Seal, 1-1/2", Type 21, BN-CARB/CM	101.000.168
	Seal, 1-1/2", Type 21, EPDM-CARB/SIL	101.000.175B
	Seal, 1-1/2", Type 21, EPDM-SIL/SIL	101.000.204A
	Seal, 1-1/2", Type 21, VN-CARB/CM	101.000.191
	Seal, 1-1/2", Type 21, VN-CARB/SIL	101.000.175
	Seal, 1-1/2", Type 21, VN-SIL/SIL	101.000.204
89A*	Seal spring retainer, Stainless	104.000.174
KIT	Repair Kit, 1-1/2" BN-CARB/CM Seal, Brz sleeve, BN O-ring	3301285
	Repair Kit, 1-1/2" EPDM-CARB/SIL Seal, Brz sleeve, BN O-ring	3301286
	Repair Kit, 1-1/2" EPDM-SIL/SIL Seal, Brz sleeve, BN O-ring	3301287
	Repair Kit, 1-1/2" VN-CARB/CM Seal, Stn sleeve, VN O-ring	3301288
	Repair Kit, 1-1/2" VN-CARB/SIL Seal, Brz sleeve, BN O-ring	3301289
	Repair Kit, 1-1/2" VN-SIL/SIL Seal, Stn sleeve, VN O-ring	3301290

* Denotes components included in repair kit.



MOTORPUMP™ — 1750 RPM
316SS, 60 Hz, 2 X 2 X 5.63 NPT

602S C56

Motor Charts

